



Product Specification and Technical Data

PRODUCT: BG 402
Brake and Contact Cleaner

PART NO.: 402

TEST DATA:	Test	ASTM Test Method	Typical Test Results
	Appearance and Odor		Colorless/Solvent
	Specific Gravity (H ₂ O = 1)	D 1298	1.5368
	Boiling Point	D 86	56-123°C (132-254°F)
	Solubility in Water	Visual.	Insoluble
	Vapor Pressure, psig100
	Net Weight, oz. (grams)		19.75 (560)
	Volume, fl. oz. (mL).		12.58 (372)

PROBLEM: The performance of braking systems can be inhibited by collected residues such as brake fluid, grease, oil, and moisture on both drum and disc type assemblies. Spark plugs, magnetos, electrical contacts and relays all fall prey to the build-up of moisture and grime.

SOLUTION: BG 402 Brake and Contact Cleaner contains fast-acting solvents which quickly remove brake fluid, grease, oil, moisture, and other residue from both drum and disc type assemblies. Disassembling the brake unit is not necessary when using BG 402 Brake and Contact Cleaner. It displaces moisture and effectively cleans and dries distributor parts, spark plugs, magnetos, electrical contacts and relays. BG 402 Brake and Contact Cleaner evaporates quickly and completely.

- BENEFITS:**
- Quickly removes all residue from both drum and disc type assemblies
 - Improves efficiency of braking systems
 - Aids in the elimination of brake squeal and chatter

USAGE: SHAKE WELL before using. Spray liberally on areas to be cleaned and allow to run off. Allow to air dry or wipe with a soft, clean cloth. If necessary, repeat application. After cleaning, all parts requiring lubrication should be relubricated. Caution: Solvents tend to cause paint, rubber, plastics and some synthetics to swell or soften. These items should be protected during application. Immediately use water to rinse off overspray.

BG Products, Inc. accepts no liability for excessive use or misuse of this product.